


	<b>Type</b>	<b>Hits</b>	<b>Search Text</b>
<b>1</b>	<b>BRS</b>	<b>1645</b>	<b>search\$.ab,ti,clm. and similar\$5 and node and edge</b>
<b>2</b>	<b>BRS</b>	<b>488</b>	<b>S1 and weight</b>
<b>3</b>	<b>BRS</b>	<b>343</b>	<b>S2 and distance</b>
<b>4</b>	<b>BRS</b>	<b>173</b>	<b>S3 and hierarch\$6</b>
<b>5</b>	<b>BRS</b>	<b>85</b>	<b>S4 and similarity</b>
<b>6</b>	<b>BRS</b>	<b>81</b>	<b>S5 and (network or graph)</b>
<b>7</b>	<b>BRS</b>	<b>52</b>	<b>S6 and attribute\$3</b>
<b>8</b>	<b>BRS</b>	<b>0</b>	<b>S7 and (attribute near node near (edge or graph or network))</b>
<b>9</b>	<b>BRS</b>	<b>0</b>	<b>S7 and (attribute near node)</b>
<b>10</b>	<b>BRS</b>	<b>2</b>	<b>S7 and (attribute\$3 near node)</b>

	Type	Hits	Search Text
11	BRS	10	S1 and (attribute\$3 near node) and similarity and (network or graph)
12	BRS	54	"5278978".pn. or "5377203".pn. or "5487169".pn. or "5608874".pn. or "5819268".pn. or "5845283".pn. or "5963731".pn. or "5974248".pn. or "5995980".pn. or "6075529".pn. or "6081811".pn. or "6148277".pn. or "6148427".pn. or "6195658".pn. or "6249786".pn. or "6269474".pn. or "6311175".pn. or "6393435".pn. or "6411395".pn. or "6421620".pn. or "6425118".pn. or "6587969".pn. or "6601203".pn. or "6615220".pn. or "6622271".pn. or "6631382".pn. or "6636864".pn.
13	BRS	2	"5764239".pn.
14	BRS	7	node and attribute\$2 and (relevance adj network\$2)
15	BRS	6	node and (attribute or attributes) and (relevance adj network\$2)
16	BRS	5	node and ((attribute or attributes) near2 node\$1) and (relevance adj network\$2)

[Sign in](#)

The "AND" operator is unnecessary -- we include all search terms by default. [\[details\]](#)

**Web** Results 1 - 10 of about 248,000 for **connecting element node and attribute nodes in a similarity system**

### Scholarly articles for **connecting element node and attribute nodes in a similarity system**



[Topology matching for fully automatic similarity ...](#) - by Hilaga - 233 citations

[A flexible model for retrieval of SGML documents](#) - by Myaeng - 79 citations

[Structuring and visualising the WWW by generalised ...](#) - by Chen - 88 citations

### [doc] **A WEIGHTED-TREE SIMILARITY ALGORITHM FOR MULTI-AGENT SYSTEMS IN E ...**

File Format: Microsoft Word - [View as HTML](#)

(a) We improve the inner **node similarity** measures by computing their taxonomic ... the weighted length of the shortest path **connecting** them in the taxonomy. ...

[www.cs.unb.ca/agentmatcher/MainPage/YangBallBhavsarBoley-JBT%20Final%](http://www.cs.unb.ca/agentmatcher/MainPage/YangBallBhavsarBoley-JBT%20Final%20Submission.doc)

[20Submission.doc](#) - [Similar pages](#)

### [PDF] **Matching Knowledge Elements in Concept Maps using a Similarity ...**

File Format: PDF/Adobe Acrobat - [View as HTML](#)

we add an **element** anchoring mechanism to a **similarity**. flooding (SF) algorithm to match ... and appropriate **attributes** can also be attached to the **nodes**. ...

[oregonstate.edu/~marshaby/Papers/MatchKnowledgeElements\\_PrePrintVersion.pdf](http://oregonstate.edu/~marshaby/Papers/MatchKnowledgeElements_PrePrintVersion.pdf) -

[Similar pages](#)

### [Paper] **Modeling Web Hypermedia Systems**

Their **connecting** relationships are modeled via a Web information **system** abstraction ...

The use of class and **attribute nodes**, as well as of **attribute** and ...

[www.actapress.com/PDFViewer.aspx?paperId=15213](http://www.actapress.com/PDFViewer.aspx?paperId=15213) - [Similar pages](#)

### [doc] **DATA INTEGRATION SEMINAR**

File Format: Microsoft Word - [View as HTML](#)

When one of the elements is an inner **node**, the structural **similarity** is ... Before integration will be performed, **attribute** names and **element** values need to ...

[www.ipssi.fraunhofer.de/~lehti/seminar2004/AutomaticSchemaIntegration.doc](http://www.ipssi.fraunhofer.de/~lehti/seminar2004/AutomaticSchemaIntegration.doc) -

[Similar pages](#)

### oreilly.com -- Online Catalog: Learning XML

**node** sets, returning, 220 id **attribute**, <xsl:transform> document **element**, 201 ...

**connecting** resources with, 70-104 ID and IDREF, 78-81 ID **attributes** ...

[www.oreilly.com/catalog/learnxml/inx.html](http://www.oreilly.com/catalog/learnxml/inx.html) - 102k - [Cached](#) - [Similar pages](#)

### [doc] **Br**

File Format: Microsoft Word - [View as HTML](#)

Each new **element** is assigned to a new **node** in a data structure with links **connecting** this **node** to the pre-established **nodes** for its two constituents. ...

[www.cognitionresearch.org.uk/papers/ll/bjp\\_1976/wolff\\_1976.doc](http://www.cognitionresearch.org.uk/papers/ll/bjp_1976/wolff_1976.doc) - [Similar pages](#)

### **XML Pipeline Language (XPL) Version 1.0 (Draft)**

The **element** containing this **attribute node** is referred to as the defining ... For example, an XML processor can access information by **connecting** to a ...

[www.w3.org/Submission/xpl/](http://www.w3.org/Submission/xpl/) - 125k - [Cached](#) - [Similar pages](#)

### **Connectivism: Learning as Network-Creation**

As a result, the **node** is treated as a fringe **element** and left largely ... Optimal meaning-generation follows general **attributes** of **systems**: open, adaptive, ...  
[www.learningcircuits.org/2005/nov2005/seimens.htm](http://www.learningcircuits.org/2005/nov2005/seimens.htm) - 91k - [Cached](#) - [Similar pages](#)

[PDF] [Inhomogeneous Force-Directed Layout Algorithms in the ...](#)

File Format: PDF/Adobe Acrobat

Figure 7 shows how the domain **attributes** points, and semester have been included in the **node element**, while edges carry an **attribute** indicating the kind of ...  
[portal.acm.org/affiliated/ft\\_gateway.cfm?id=1082107&type=pdf&coll=ACM&dl=ACM&CFID=1515151...](http://portal.acm.org/affiliated/ft_gateway.cfm?id=1082107&type=pdf&coll=ACM&dl=ACM&CFID=1515151...) - [Similar pages](#)

[PDF] [Trees, Dendrograms and Sensitivity](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

**system**. An **element** in model validation is the ... edge between **nodes** *i* and *j*. There is no analogue to, the **attribute** matrix *X*, which determines *S(X)*. ...  
[www.iemss.org/iemss2002/proceedings/pdf/volume%20due/328\\_braddock%202.pdf](http://www.iemss.org/iemss2002/proceedings/pdf/volume%20due/328_braddock%202.pdf) - [Similar pages](#)

Try your search again on [Google Book Search](#)

Goooooooooooooogle ►

Result Page:    1 2 3 4 5 6 7 8 9 10    **Next**

Free! Speed up the web. [Download the Google Web Accelerator.](#)

connecting element node and attribut

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2006 Google

[Sign in](#)[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Maps](#) [more »](#)

connecting element node and attribute nodes

[Search](#)[Advanced Search](#)  
[Preferences](#)The "AND" operator is unnecessary -- we include all search terms by default. [\[details\]](#)**Web** Results 1 - 10 of about 1,710,000 for **connecting element node and attribute nodes**. (0.28 seconds)

### Tree-Based XML Programming Guide for Cocoa: Binding NSXML Objects ...

**Connecting** Controllers and NSXMLNode Objects ... If the selected child is an **element node** with **attributes** or namespaces, the application displays them in ...

developer.apple.com/documentation/Cocoa/

Conceptual/NSXML\_Concepts/Articles/BindingXMLObjects.html - 29k -

[Cached](#) - [Similar pages](#)

### Document Object Model (DOM) Level 3 Events Specification: Glossary

A read only **node** is a **node** that is immutable. This means its list of children, its content, and its **attributes**, when it is an **element**, cannot be changed in ...www.stylusstudio.com/w3c/domevents/glossary.htm - 34k - [Cached](#) - [Similar pages](#)

### 3 Creating Connect for SQL/XML Queries Using the Builder

Specifies an XML **attribute** associated with an **ELEMENT node**. ... JDBC connection URL, continue with "**Connecting** Using JDBC Connection URLs" ...

media.datadirect.com/download/docs/connectsqlxml/csxug/sql\_xml\_builder.html - 139k -

[Cached](#) - [Similar pages](#)

### Glossary

This means its list of children, its content, and its **attributes**, when it is an **element**, cannot be changed in any way. However, a readonly **node** can possibly ...

www.w3.org/TR/2000/CR-DOM-Level-2-20000510/glossary.html - 20k -

[Cached](#) - [Similar pages](#)

### Glossary

Each **element** has a type, identified by name, and may have a set of **attributes**. ... Finally, if the **nodes** have **attributes** then collection of **attribute** names ...www.w3.org/TR/REC-DOM-Level-1/glossary.html - 15k - [Cached](#) - [Similar pages](#)

### Software Carpentry: Basic XML and XHTML (Draft Version 574)

**Connecting** to Other Data. How to put an image in a page? ... Set **attributes** of **element nodes** using setAttribute(attributeName, newValue) ...osl.iu.edu/~lums/swc/www/xml.html - 39k - [Cached](#) - [Similar pages](#)

### Inside the XForms validator

Select = **element** select { Select.**Attributes**, Select.Content } Select.**Attributes** &=Common.**Attributes**, Single.**Node**.Binding.**Attributes**, UI.Common.**Attributes** ...www.ibm.com/developerworks/xml/library/x-xfvalid.html - 45k - [Cached](#) - [Similar pages](#)

### Java Reference Guide > Extensible Markup Language (XML)

In DOM terms, each **node** of the XML document is an **Element**. An **Element** can contain other **Element nodes**, **Attribute nodes**, and Text **nodes**, the specifics of ...

www.informit.com/guides/content.asp?g=java&amp;seqNum=110 - 43k -

[Cached](#) - [Similar pages](#)

### Title Index

... Definitions of Managed Objects for Extended Border **Node** ... Proposed protocol for **connecting** host computers to ARPA-like networks via front end ...dret.net/rfc-index/titles - [Similar pages](#)

[XPath, XLink, XPointer, and XML: A Practical Guide to Web ...](#)

**Connecting** to the Internet. How the Internet Works. The World Wide Web. ... General  
Model. Root **Node**. **Element Node**. **Attribute Node**. Namespace **Node**. ...  
www.awprofessional.com/titles/0201703440 - 42k - [Cached](#) - [Similar pages](#)

Try your search again on [Google Book Search](#)

Goooooooooooooogle ►

Result Page:    1   2   3   4   5   6   7   8   9   10    **Next**

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2006 Google

[Sign in](#)[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Maps](#) [more »](#)

attributes and nodes in relevance network

**Search**[Advanced Search](#)  
[Preferences](#)The "AND" operator is unnecessary -- we include all search terms by default. [\[details\]](#)**Web**Results 1 - 10 of about 720,000 for **attributes and nodes in relevance network**. (0.36 seconds)

### Scholarly articles for attributes and nodes in relevance network

[Next century challenges: scalable coordination in sensor ...](#) - by Estrin - 930 citations[A graph-based approach for extracting terminological ...](#) - by Palopoli - 24 citations[Bayesian Metanetworks for Modelling User Preferences in ...](#) - by Terziyan - 6 citations

### Citations: Using **relevance** to reduce **network** size automatically ...

Michael C. Mozer and Paul Smolensky, "Using **relevance** to reduce **network** size ... removes **nodes** by assessing their **relevance** during the training process. ...citeseer.ist.psu.edu/context/113363/0 - 34k - [Cached](#) - [Similar pages](#)

### Microsoft Neural **Network** Algorithm (SSAS)

For example, a binary input **attribute** produces one input **node** that describes a ... which describes the **relevance** or importance of a particular input to the ...msdn2.microsoft.com/en-us/library/ms174941.aspx - 31k - [Cached](#) - [Similar pages](#)

### Connectivism: Learning as **Network**-Creation

A **node** grows in popularity (**relevance**) as more **nodes** link to it. ... External **attributes** of an ecology or **network** also influence how well information flows. ...www.learningcircuits.org/2005/nov2005/seimens.htm - 91k - [Cached](#) - [Similar pages](#)

### GaWC Research Bulletin 23

In a short conclusion the **relevance** of this world city **network** ... In the world city **network**, as already noted, the definition of **node** is not so ...www.lboro.ac.uk/gawc/rb/rb23.html - 59k - [Cached](#) - [Similar pages](#)

### EP1455283 Fujitsu european software patent - Information **relevance** ...

a **relevance** information extract step which extracts **attributes** common to two ... [0011] In the second **network** display step, the **attribute nodes** may be ...gauss.ffii.org/PatentView/EP1455283 - 68k - [Cached](#) - [Similar pages](#)

### [PDF] **Network** Perspectives In The Evaluation Of Development ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)**nodes**. In social **network** analysis the **nodes** of concern are people, groups and ... the **relevance** of a **network** perspective. Alliances between major northern ...www.mande.co.uk/docs/nape.pdf - [Similar pages](#)

### Gregory John Downey - **Nodes**, Links, and Phase Transitions ...

In a small-world **network**, individual **nodes** (persons, in this case) are ... links as homogenous **network** components with clearly defined **attributes**; however, ...muse.jhu.edu/journals/technology\_and\_culture/v045/45.1downey.html - [Similar pages](#)

### GIS@development: April 2006: **Relevance** of Hyperspectral Data for ...

The **nodes** in the output layer represent the range of possible output categories to be produced by the **network** [4]. Between the input and output layers are ...

www.gisdevelopment.net/magazine/years/2006/april/30\_2.htm - 14k -

[Cached](#) - [Similar pages](#)

### User Modeling for Information Filtering on INTERNET Services ...

Each semantic **network** includes a central **node** that represents a main topic ... part of the user profile includes a list of weighted **attribute**-value pairs, ...  
ten.dimi.uniud.it/~tasso/UM-96UMT.html - 15k - [Cached](#) - [Similar pages](#)


[esp@cenet document view](#)

Information **relevance** display method program storage medium and apparatus ... the element **nodes** in the first **network** into a display of **attribute nodes** for ...  
l2.espacenet.com/espacenet/viewer?PN=EP1455283 - 37k - [Cached](#) - [Similar pages](#)

Try your search again on [Google Book Search](#)

Goooooooooooooogle ►  
Result Page: 1 [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [Next](#)

See all your photos right in your Sidebar.  
Free! [Download Google Desktop](#).



attributes and nodes in relevance ne

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2006 Google



[Sign in](#)[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Maps](#) [more »](#)

relevance network nodes and attributes

[Search](#)[Advanced Search](#)  
[Preferences](#)The "AND" operator is unnecessary -- we include all search terms by default. [\[details\]](#)**Web**Results 11 - 20 of about 719,000 for **relevance network nodes and attributes**. (0.09 seconds)**Gregory John Downey - Nodes, Links, and Phase Transitions ...**

In a small-world **network**, individual **nodes** (persons, in this case) are ... links as homogenous **network** components with clearly defined **attributes**; however, ...  
[muse.jhu.edu/journals/technology\\_and\\_culture/v045/45.1downey.html](http://muse.jhu.edu/journals/technology_and_culture/v045/45.1downey.html) - [Similar pages](#)

**Network Data Models**

Topology is the arrangement of **nodes** and links in a **network**. Of particular **relevance** are the representations of location, direction and connectivity. ...

[people.hofstra.edu/geotrans/eng/ch2en/meth2en/ch2m3en.html](http://people.hofstra.edu/geotrans/eng/ch2en/meth2en/ch2m3en.html) - 18k -

[Cached](#) - [Similar pages](#)

**User Modeling for Information Filtering on INTERNET Services ...**

Each semantic **network** includes a central **node** that represents a main topic ... part of the user profile includes a list of weighted **attribute**-value pairs, ...

[ten.dimi.uniud.it/~tasso/UM-96UMT.html](http://ten.dimi.uniud.it/~tasso/UM-96UMT.html) - 15k - [Cached](#) - [Similar pages](#)

**esp@cenet document view**

Information **relevance** display method program storage medium and apparatus ... the element **nodes** in the first **network** into a display of **attribute nodes** for ...

[l2.espacenet.com/espacenet/viewer?PN=EP1455283](http://l2.espacenet.com/espacenet/viewer?PN=EP1455283) - 37k - [Cached](#) - [Similar pages](#)

**[PPT] Semantic Web**

File Format: Microsoft Powerpoint - [View as HTML](#)

Display **relevance**. 7 March 2001. KT2001: The Semantic **Network** of IKM-I3 ... Defining which other **nodes (and attributes)** are contextually important for a ...

[www2.gca.org/knowledgetechnologies/2001/proceedings/Poell%20Slides.ppt](http://www2.gca.org/knowledgetechnologies/2001/proceedings/Poell%20Slides.ppt) -

[Similar pages](#)

**Citations: Probabilistic Similarity Networks - Heckerman ...**

For example, let X and Y be two **attributes** such that always  $X = Y$ . Thus, ... **network** is a directed acyclic graph whose **nodes** are **attributes** and whose arcs ...

[citeseer.ist.psu.edu/context/65005/0](http://citeseer.ist.psu.edu/context/65005/0) - 31k - [Cached](#) - [Similar pages](#)

[ [More results from citeseer.ist.psu.edu](#) ]

**Glossary**

Different kinds of **attributes** include single-valued **attributes**, multi-valued ... Often several leased lines are joined together at a **network node**. ...

[www.mysticseaport.org/library/msitia/glossary.html](http://www.mysticseaport.org/library/msitia/glossary.html) - 28k - [Cached](#) - [Similar pages](#)

**An Inductive Machine Learning Approach to Information Retrieval**

This interactive process of **relevance** feedback from users and inductive ... In ID5R, a non-leaf **node** contains an **attribute** test (same as in ID3) and a set ...

[ai.bpa.arizona.edu/papers/id3ir93/id3ir93.html](http://ai.bpa.arizona.edu/papers/id3ir93/id3ir93.html) - 46k - [Cached](#) - [Similar pages](#)

**[PS] MOBI-DIC: MOBIle Discovery of loCal Resources inPeer-to-Peer ...**

File Format: Adobe PostScript - [View as HTML](#)

Thus reports transitively spread across **network nodes**. ... In other words, the **relevance** of a report, and consequently its transmission probability, ...

[sites.computer.org/debull/A05sept/wolfson.ps](http://sites.computer.org/debull/A05sept/wolfson.ps) - [Similar pages](#)

Dynamic Network Analysis of Kinship and Politics:

A P-graph consists of a set of **nodes** that represent marriages, couples, ... The second line of response to the question of the **relevance** of **network** analysis ...  
eclectic.ss.uci.edu/~drwhite/26Prospectus.htm - 178k - [Cached](#) - [Similar pages](#)



Result Page: [Previous](#) [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [11](#) [Next](#)

Free! Speed up the web. [Download the Google Web Accelerator.](#)

[Search within results](#) | [Language Tools](#) | [Search Tips](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2006 Google

[Sign in](#)[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Maps](#) [more »](#)

relevance network display system

[Advanced Search](#)  
[Preferences](#)**Web**Results 1 - 10 of about 12,200,000 for **relevance network display system**. (0.27 seconds)**Scholarly articles for relevance network display system****Energy-Adaptive Display System Designs for Future Mobile ...** -

by Iyer - 21 citations

**Commentary: The relevance of social network concepts to ...** - by

Rothenberg - 47 citations

**GeoSpace: an interactive visualization system for ...** - by Lokuge -

31 citations

**Sponsored Links****Network Monitor**Scalable, Reliable **Network** Monitors

Download Our Free Trial Software

[www.nimsoft.com](http://www.nimsoft.com)

Virginia

**Suspended display systems**

Cable / Rod / Wall mounted unit

Manufacturer

[www.mustang-systems.com](http://www.mustang-systems.com)**www.Display.com**Find a Better **Display System**.

Compare Providers, Types &amp; Styles.

[www.Display.com](http://www.Display.com)**General Systems, Education and the relevance of world system data ...**The process of interaction between **display** and person is really one in which the ... Designing a global **network** of centers for general **systems** education. ...[www.laetusinpraesens.org/docs60s/69sgsr.php](http://www.laetusinpraesens.org/docs60s/69sgsr.php) - 95k -[Cached](#) - [Similar pages](#)**Title Index**2 (DSS 2) — User-**network** interface layer 3 specification for ... The VDistributed **System** · The Visual **Display** of Quantitative Information ...[dret.net/biblio/titles](http://dret.net/biblio/titles) - 937k - [Cached](#) - [Similar pages](#)**Internet Archive Search: mediatype:"software"**It makes it possible to connect to an IBM host via TCP/IP with the TN5250 protocol and emulate a 5250 Information **Display System**. ...[www.archive.org/search.php?query=mediatype%3A%22software%22](http://www.archive.org/search.php?query=mediatype%3A%22software%22) - 60k -[Cached](#) - [Similar pages](#)**GeoSpace:An Interactive Visualization System for Exploring Complex ...**A reactive **display**: The **system** provides users with a responsive visual environment. ...The **system** uses an activation spreading **network** [1][9] to determine ...[www.acm.org/sigchi/chi95/proceedings/papers/il\\_bdy.htm](http://www.acm.org/sigchi/chi95/proceedings/papers/il_bdy.htm) - 30k - [Cached](#) - [Similar pages](#)**Definitions for EPSRC Sectors****Network systems**, **network** services and applications, active networks, ... can't be readily coded (use No **relevance** to Underpinning sectors if applicable). ...[gow.epsrc.ac.uk/Sectors\\_Def.htm](http://gow.epsrc.ac.uk/Sectors_Def.htm) - 31k - [Cached](#) - [Similar pages](#)**Those Pesky Blanking Screens: Using Software to Avoid Them - Intel ...**Learn how to override and reset power **system** settings with C (or C++) to ensure ... toExplore in Addressing **Display** Interruption · Application **Relevance** ...[www.intel.com/cd/ids/developer/asmo-na/eng/256886.htm](http://www.intel.com/cd/ids/developer/asmo-na/eng/256886.htm) - 25k - [Cached](#) - [Similar pages](#)**AT&T calls for relevance - Network IT Week****System** Support Manager. London | vnucompuk **Display** Ads for Southwark Council ...**Network** IT Week. Personal Computer World. PC Magazine. VNU Web seminars ...[www.networkitweek.co.uk/forbes/news/2151435/att-calls-relevance](http://www.networkitweek.co.uk/forbes/news/2151435/att-calls-relevance) - 54k -[Cached](#) - [Similar pages](#)

Panasonic Phones & Business Phone **Systems**, Headsets, Speakerphones ...

TWAcmm.com is a leading provider of Panasonic phone **systems** including Panasonic DBS ... Replacing the base of the large screen **display**, the analog adapter ...  
www.twacomm.com/catalog/sort\_REL/jmp\_panasonic/product\_brand.htm - 82k -  
[Cached](#) - [Similar pages](#)

Best Selling Phones and Phone Products - Top Selling Phones and ...

Designed for use with the Panasonic Advanced Hybrid Telephone **System** or the Digital Hybrid Super **Systems**. 24 programmable buttons. Backlit LCD **display** shows ...  
www.twacomm.com/catalog/sort\_REL/product\_top.htm?items=10 - 48k -  
[Cached](#) - [Similar pages](#)


Video Gaming, Education and Digital Learning Technologies ...

Next, the **relevance** of gaming to academia is highlighted, and the **relevance** of ... The parallels with **network**-based teaching, learning and communication, ...  
www.dlib.org/dlib/february02/kirriemuir/02kirriemuir.html - 48k - [Cached](#) - [Similar pages](#)

Try your search again on [Google Book Search](#)

Goooooooooooooogle ►  
Result Page:    1 2 3 4 5 6 7 8 9 10    [Next](#)

See all your photos right in your Sidebar.  
Free! [Download Google Desktop](#).




relevance network display system    [Search](#)

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2006 Google

[Sign in](#)

**Web** Results 1 - 10 of about 208,000 for **connecting element nodes and attribute nodes in relevance network**

### Scholarly articles for **connecting element nodes and attribute nodes in relevance network**



[A graph-based approach for extracting terminological ...](#) - by Palopoli - 24 citations

[A flexible model for retrieval of SGML documents](#) - by Myaeng - 79 citations

[Adding flexibility to structure similarity queries on ...](#) - by Ciaccia - 6 citations

### Connectivism: Learning as **Network-Creation**

A **network** requires at minimum two **elements**: **nodes** and connections. ... A **node** grows in popularity (**relevance**) as more **nodes** link to it. ...

[www.learningcircuits.org/2005/nov2005/seimens.htm](http://www.learningcircuits.org/2005/nov2005/seimens.htm) - 91k - [Cached](#) - [Similar pages](#)

### EP1455283 Fujitsu european software patent - Information **relevance** ...

[0011] In the second **network** display step, the **attribute nodes** may be arranged ... **nodes** and by **connecting** the **element nodes** and the **attribute nodes** for the ...

[gauss.ffii.org/PatentView/EP1455283](http://gauss.ffii.org/PatentView/EP1455283) - 68k - [Cached](#) - [Similar pages](#)

### elearnspace. Connectivism: Learning as **Network-Creation**

A **network** requires at minimum two **elements**: **nodes** and connections. ... In presenting the original theory of connectivism, I presented eight **attributes**: ...

[www.elearnspace.org/Articles/networks.htm](http://www.elearnspace.org/Articles/networks.htm) - 49k - [Cached](#) - [Similar pages](#)

[doc] Our metaphors for learning have become tired and worn

File Format: Microsoft Word - [View as HTML](#)

A **network** requires at minimum two **elements**: **nodes** and connections. ... result in exponential knowledge growth through **connecting** similar **network elements**. ...

[www.elearnspace.org/Articles/networks.doc](http://www.elearnspace.org/Articles/networks.doc) - [Similar pages](#)

### esp@cenet document view

... and by **connecting** with edges two **element nodes** possessing common **attribute** information by referring to the **relevance** information; and a second **network** ...

[l2.espacenet.com/espacenet/viewer?PN=EP1455283](http://l2.espacenet.com/espacenet/viewer?PN=EP1455283) - 37k - [Cached](#) - [Similar pages](#)

### Connectivism Blog

A **node** can form connections based mainly on its intrinsic (objective) **attributes**. The related by product of **connecting** several different **nodes** may create an ...

[www.connectivism.ca/blog/monthlist\\_html?year=2006&month=6](http://www.connectivism.ca/blog/monthlist_html?year=2006&month=6) - 47k -

[Cached](#) - [Similar pages](#)

### Cool-Connections — Connectivism

Centrality: "Centrality is a structural **attribute** of **nodes** in a **network** (not ... Principle 2:

Learning is a process of **connecting** specialized **nodes** or ...

[www.connectivism.ca/wiki/CoolConnections](http://www.connectivism.ca/wiki/CoolConnections) - 47k - [Cached](#) - [Similar pages](#)

### E-Learning **Network** News

A **network** requires at minimum two **elements**: **nodes** and connections. ... Networked learning is a subset of connectivism, which consists of eight **attributes**: ...

[www.astd.org/astd/Publications/Newsletters/elearn\\_news/2005/Nov\\_Dec/siemens.htm](http://www.astd.org/astd/Publications/Newsletters/elearn_news/2005/Nov_Dec/siemens.htm) -

51k - [Cached](#) - [Similar pages](#)

